



Correction To: Combining functional near-infrared spectroscopy and EEG measurements for the diagnosis of attention-deficit hyperactivity disorder

Ayşegül Güven¹ · Miray Altınkaynak¹ · Nazan Dolu² · Meltem İzzetoğlu³ · Ferhat Pektaş⁴ · Sevgi Özmen⁵ · Esra Demirci⁵ · Turgay Batbat¹

Received: 4 February 2022 / Accepted: 4 February 2022 / Published online: 20 February 2022
© Springer-Verlag London Ltd., part of Springer Nature 2022

Correction to: Neural Computing and Applications (2020)
32:8367–8380
<https://doi.org/10.1007/s00521-019-04294-7>

Unfortunately, the funding number of the article was erroneously published in the acknowledgement section of the article.

The corrected Acknowledgement section should read as follows:

Acknowledgements This study was supported by the TUBITAK under Project Number 114S470.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00521-019-04294-7>.

✉ Ayşegül Güven
aysegulguven38@gmail.com; aguyen@erciyes.edu.tr

¹ Department of Biomedical Engineering, Engineering Faculty, Erciyes University, 38039 Kayseri, Turkey

² Department of Physiology, Medical Faculty, Başkent University, 06790 Ankara, Turkey

³ Electrical and Computer Engineering Department, Villanova University, Villanova 19085, USA

⁴ Department of Physiology, Medical Faculty, Altınbaş University, 34218 Istanbul, Turkey

⁵ Department of Child and Adolescent Psychiatry, Medical Faculty, Erciyes University, 38039 Kayseri, Turkey